

Updates from the MT Laboratory Services Bureau 800-821-7284 www.lab.hhs.mt.gov

10/27/2010

Fresh fruit and vegetables as vehicles for the transmission of human pathogens

Berger CN, Sodha SV, Shaw RK, Griffin PM, Pink D. Hand P, Frankel G.

Centre for Molecular Microbiology and Infection, Division of Cell and Molecular Biology, Imperial College London, London SW7 2AZ, UK.

## **Abstract**

Summary: Much research into food-borne human pathogens has focused on transmission from foods of animal origin. However, recent investigations have identified fruits and vegetables are the source of many disease outbreaks. Now believed to be a much larger contributor to produce-associated outbreaks than previously reported, norovirus outbreaks are commonly caused by contamination of foods from hands of infected workers. Although infections with Shiga toxin-producing E. coli O157 have been linked to beef more often than to any other food product, severe outbreaks have been traced to consumption of contaminated radish sprouts and pre-packaged spinach. Similarly, while infections with Salmonella have mainly been linked to consumption of foods of animal origin, many outbreaks have been traced to contaminated fresh produce. E. coli O157 binds to lettuce leaves by alternative mechanisms involving the filamentous type III secretions system, flagella and the pilus curli. Association of Salmonella with fresh produce appears to be serovar-specific involving flagella, curli, cellulose, and O antigen capsule. A better understanding of plant, microbiological, environmental, processing and food handling factors that facilitate contamination will allow development of evidence-based policies, procedures and technologies aimed at reducing the risk of contamination of fresh produce.

http://www.ncbi.nlm.nih.gov/pubmed/20636374

## WANTED: CAMPYLOBACTER SPP. ISOLATES:

Montana Public Health Laboratory (MTPHL) was recently granted funding to implement *Campylobacter spp.* testing by pulsed field gel electrophoresis (PFGE). PFGE is used to distinguish strains of organisms at the DNA level. These DNA "fingerprints," or patterns, can be matched locally, and then submitted electronically to a dynamic CDC database, PulseNet, which allows for rapid comparison of patterns across the country. This testing will greatly expand surveillance capacity of *Campylobacter spp.* within Montana. We hope to have this testing up and running soon, so please help us in our surveillance efforts by submitting *Campylobacter spp.* isolates or positive Campy specimens to MTPHL. These will be tested free of charge.

## Rapid Pulsed-field Gel Electrophoresis Protocol for Subtyping of Campylobacter jejuni

Efrain M. Ribot,\* Collette Fitzgerald, Kristy Kubota, Bala Swaminathan, and Timothy J. Barrett

Campylobacter jejuni is the most common bacterial cause of diarrheal illness in the United States (1). It is estimated that Campylobacter infections affect over 2.5 million persons, with 80% of infections attributable to food-borne transmission (10). The majority of Campylobacter infections occur as sporadic events and not as part of outbreaks. Cases of campylobacteriosis are often associated with handling raw poultry or eating raw or undercooked poultry meat, though large outbreaks have most often been associated with the consumption of unpasteurized milk or contaminated water. Strain differentiation is necessary for the identification of sources of contamination and determination of routes of transmission; this could in turn enable us to more accurately detect outbreaks and limit the spread of Campylobacter infections.

http://www.ncbi.nlm.nih.gov/pmc/articles/PMC88044

Upcoming CE Opportunities from APHL:

61 Click

619-10 Blood Cultures—Current
Methods/Future Trends
Event Code: 588-619-10
Event Type: Teleconference
CLICK HERE TO REGISTER
Click here to download course flyer

918-10 2010 Influenza Update
Event Code: 588-918-10
Event Type: Teleconference
CLICK HERE TO REGISTER
Click here to download course flyer

919-10 Bloodborne Pathogens: Where Current Policies & Practices Merge
Event Code: 588-919-10
Event Type: Teleconference
CLICK HERE TO REGISTER
Click here to download course flyer

The current issue of the Communicable Disease Epidemiology Program Weekly Update for MMWR reporting week 41 can be found at: <a href="http://www.dphhs.mt.gov/PHSD/epidemiology/documents/CDWeeklyUpdateWk41.pdf">http://www.dphhs.mt.gov/PHSD/epidemiology/documents/CDWeeklyUpdateWk41.pdf</a>. This issue covers the Haitian Cholera Outbreak — What to do with those experiencing diarrheal illness; Halloween Health — Take advantage of the holidays to spread disease prevention messages! Influenza: prevention, diagnoses, and surveillance during the 2010 — 2011 influenza season

The Montana Communicable Disease Epidemiology Program can be reached 24/7/365 (406)444.0273 or http://cdepi.hhs.mt.gov